Journal of MOLECULAR BIOLOGY

1166

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. Klug
D. E. Koshland
D. C. Phillips
L. Stryer
A. Tissières
G. M. Tomkins
P. M. B. Walker
J. Wyman

LIBRARY USE ONLY

UNIVERSITY OF HAWAII LIBRARY

QH301
J73

VOLUME 65
14 March 1972 to 14 April 1972

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1972, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 65

NUMBER 1, 14 MARCH 1972

MATTHEWS, K. S. and COLE, R. D., Shell Formation by Capsid Protein of f2 Bacteriophage 1

MATTHEWS, K. S. and COLE, R. D., Effects of Chemical Modification of f2 Viral Coat Protein on its Shell-forming Activity 17

UHLENBECK, O. C., Complementary Oligonucleotide Binding to Transfer RNA 25

HIRASHIMA, A. and KAJI, A., Factor-dependent Release of Ribosomes from Messenger RNA. Requirement for Two Heat-stable Factors . . . 43

SWAN, I. D. A., The Inhibition of Hen Egg-white Lysozyme by Imidazole and Indole Derivatives 59

FOLKMANIS, A. and FREIFELDER, D., Studies of Lysogeny in *Escherichia coli* with Bacteriophage λ. Physical Observation of the Insertion Process . 63

UENOYAMA, K. and ONO, T., Nascent Catalase and its Messenger RNA on Rat Liver Polyribosomes 75

LOWE, M. J. and SCHELLMAN, J. A., Solvent Effects on Dinucleotide Conformation 91

LOWEY, S. and STEINER, L. A., An Immunochemical Approach to the Structure of Myosin and the Thick Filament 111

JOSEPHS, R. and BORISY, G., Self-assembly of Glutamic Dehydrogenase into Ordered Superstructures: Multichain Tubes Formed by Association of Single Molecules 127

LETTERS TO THE EDITOR—

MACINNES, J. W., Differences between Ribosomal Subunits from Brain and those from Other Tissues 157

HOUSMAN, D., GILLESPIE, D. and LODISH, H. F., Removal of Formylmethionine Residue from Nascent Bacteriophage f2 Protein . . 163

Compans, R. W., Mountcastle, W. E. and Choppin, P. W., The Sense of the Helix of Paramyxovirus Nucleocapsids 167

Erratum 171

Number 2, 28 March 1972

Bernardi, G., Piperno, G. and Fonty, G., The Mitochondrial Genome of Wild-type Yeast Cells. I. Preparation and Heterogeneity of Mitochondrial DNA 173

Piperno, G., Fonty, G. and Bernardi, G., The Mitochondrial Genome of Wild-type Yeast Cells. II. Investigations on the Compositional Heterogeneity of Mitochondrial DNA 191

Ehrlich, S. D., Thiery, J. and Bernardi, G., The Mitochondrial Genome of Wild-type Yeast Cells. III. The Pyrimidine Tracts of Mitochondrial DNA 207

Yonei, S. and Nozu, K., Mechanism of Post-irradiation Degradation of Deoxyribonucleic Acid in a Radiosensitive *Escherichia coli* (NG30) Irradiated with Ultraviolet Light 213

Udem, S. A. and Warner, J. R., Ribosomal RNA Synthesis in *Saccharomyces cerevisiae* 227

Warner, J. R. and Udem, S. A., Temperature Sensitive Mutations affecting Ribosome Synthesis in *Saccharomyces cerevisiae* 243

Ghysen, A. and Pironio, M., Relationship between the *N* Function of Bacteriophage λ and Host RNA Polymerase 259

Ojala, D. and Attardi, G., Expression of the Mitochondrial Genome in HeLa Cells. X. Properties of Mitochondrial Polysomes 273

Squire, J. M. and Elliott, A., Side-chain Conformations in Dry and Liquid-Crystalline Forms of Racemic Poly-γ-benzyl Glutamate 291

Nozawa, R., Gabor, M. and Hotchkiss, R. D., *Lactobacillus* Exonuclease Mutants. II. Sensitivity Toward Ultraviolet Irradiation and Alkylating Agents 323

Rome, E., Relaxation of Glycerinated Muscle: Low-angle X-ray Diffraction Studies 331

Cheevers, W. P., Kowalski, J. and Yu, K. K.-Y., Synthesis of High-molecular-weight Cellular DNA in Productive Polyoma Virus Infection . . . 347

Letters to the Editor—

Sasazuki, T., Isomoto, A. and Nakajima, H., Circular Dichroism and Absorption Spectra of Haemoglobin Bart's 365

Sakakibara, S., Kishida, Y., Okuyama, K., Tanaka, N., Ashida, T. and Kakudo, M., Single Crystals of $(Pro\text{-}Pro\text{-}Gly)_{10}$, a Synthetic Polypeptide Model of Collagen 371

Vennegoor, C. J. G. M., Stols, A. L. H. and Bloemendal, H., More Evidence for a Particle Character of Aminoacyl-transfer RNA Synthetases isolated from Rat Liver 375

Announcement 379

Number 3, 14 April 1972

Gennis, R. B. and Cantor, C. R., Optical Studies of a Conformational Change in DNA before Melting 381

Busse, H. G. and Baldwin, R. L., Tandem Genetic Duplications in a Derivative of Phage Lambda. II. Evidence for Structure and Location of Endpoints 401

Rosbash, M., Formation of Membrane-bound Polyribosomes . . . 413

Brunori, M., Talbot, B., Colosimo, A., Antonini, E. and Wyman, J., Studies on the Reaction of Isocyanides with Haemproteins. II. Binding to Normal and Modified Human Haemoglobins 423

Gordon, C. N., Dimensions of the Heads of the Fast and Slow Sedimenting Forms of Bacteriophage T2L 435

Padmanabhan, R. and Wu, R., Nucleotide Sequence Analysis of DNA. IV. Complete Nucleotide Sequence of the Left-hand Cohesive End of Coliphage 186 DNA 447

DeRosier, D. J. and Klug, A., Structure of the Tubular Variants of the Head of Bacteriophage T4 (Polyheads). I. Arrangement of Subunits in some Classes of Polyheads 469

Yanagida, M., DeRosier, D. J. and Klug, A., Structure of the Tubular Variants of the Head of Bacteriophage T4 (Polyheads). II. Structural Transition from a Hexamer to a 6 + 1 Morphological Unit . . . 489

YANAGIDA, M., Identification of some Antigenic Precursors of Bacteriophage T4 501

LETTERS TO THE EDITOR—

KING, M. V. and YOUNG, M., Evidence for Flexibility of the Helical Rod Section of the Myosin Molecule 519

KORN, A. H., FEAIRHELLER, S. H. and FILACHIONE, E. M., Glutaraldehyde: Nature of the Reagent 525

PEMBERTON, R. E. and BAGLIONI, C., Duck Hemoglobin Messenger RNA contains a Polynucleotide Sequence rich in Adenylic Acid . . 531

ANNOUNCEMENT 537

ERRATUM 539

Index to Volume 65

Absorption spectra of haemoglobin Bart's, 365
Adenylic acid-rich polynucleotide sequence in duck haemoglobin mRNA, 531
Alkylating agents, sensitivity of *Lactobacillus* exonuclease mutants, 323
Aminoacyl-tRNA synthetases isolated from rat liver, more evidence for a particle character, 375
Antigenic precursors of phage T4, identification, 501
ANTONINI, E. (see also BRUNORI, M.), 423
ASHIDA, T. (see also SAKAKIBARA, S.), 371
ATTARDI, G. (see also OJALA, D.), 273

Bacteriophage f2, effects of chemical modification of f2 viral coat protein on its shell-forming activity, 17
— — protein, nascent, removal of formyl-methionine residue, 163
— —, shell formation by capsid protein, 1
— λ, *N* function and host RNA polymerase, 259
— —, physical observation of the insertion process in *Escherichia coli*, 63
— lambda derivative, tandem genetic duplication, 401
— T2L, dimensions of the heads of the fast and slow sedimenting forms, 435
— T4, arrangement of subunits in some classes of polyheads, 469
— —, identification of some antigenic precursors, 501
— — polyheads, structural transition from a hexamer to a 6 + 1 morphological unit, 489
BAGLIONI, C. (see also PEMBERTON, R. E.), 531
BALDWIN, R. L. (see also BUSSE, H. G.), 401
BERNADI, G. (see also EHRLICH, S. D.), 207
— (see also PIPERNO, G.), 191
—, PIPERNO, G. & FONTY, G., The mitochondrial genome of wild-type yeast cells. I. Preparation and heterogeneity of mitochondrial DNA, 173
BLOEMENDAL, H. (see also VENNEGOOR, C. J. G. M.), 375
BORISY, G. (see also JOSEPHS, R.), 127
Brain ribosomal subunits, differences from those from other tissues, 157
BRUNORI, M., TALBOT, B., COLOSIMO, A., ANTONINI, E. & WYMAN, J., Studies on the reaction of isocyanides with haemproteins. II. Binding to normal and modified human haemoglobins, 423
BUSSE, H. G., MACCOSHAM, V. & BALDWIN, R. L., Tandem genetic duplications in a derivative of phage lambda. II. Evidence for structure and location of end points, 401

CANTOR, C. R. (see also GENNIS, R. B.), 381
Capsid protein of f2 bacteriophage, shell formation, 1
Catalase, nascent and its mRNA on rat liver polyribosomes, 75
Cellular DNA, high-molecular-weight, synthesis in productive polyoma virus infection, 347
CHEEVERS, W. P., KOWALSKI, J. & YU, K. K.-Y., Synthesis of high-molecular weight cellular DNA in productive polyoma virus infection, 347
Chemical modification of f2 viral coat protein, effect on its shell-forming activity, 17
CHOPPIN, P. W. (see also COMPANS, R. W.), 167
Circular dichroism of haemoglobin Bart's, 365
Coat protein, f2 viral, chemical modification, effect on shell-forming activity, 17
COLE, R. D. (see also MATTHEWS. K. S.), 1, 17
Coliphage 186 DNA, complete nucleotide sequence of the left-hand cohesive end, 447
COLOSIMO, A. (see also BRUNORI, M.), 423
COMPANS, R. W., MOUNTCASTLE, W. E. & CHOPPIN, P. W., The sense of the helix of paramyxovirus nucleocapsids, 167
Conformation of dinucleotides, effects of solvents, 91

Dehydrogenase, glutamic, formation of multichain tubes by association of single molecules, 127
Deoxyribonucleic acid of coliphage 186, complete sequence of the left-hand cohesive end, 447
— —, high-molecular-weight, cellular, synthesis in productive polyoma virus infection, 347
— —, mitochondrial, of wild-type yeast cells, compositional heterogeneity, 191
— —, —, — — — — —, preparation and heterogeneity, 173
— —, —, — — — — —, pyrimidine tracts, 207
— —, optical studies of a conformational change which occurs before melting, 381
— —, post-irradiation degradation mechanism in a radiosensitive *Escherichia coli* NG30 irradiated with ultraviolet light, 213
DeRosier, D. J. (see also Yanagida, M.), 489
— & Klug, A., Structure of the tubular variants of the head of bacteriophage T4 (polyheads). I. Arrangement of subunits in some classes of polyheads, 469
Dinucleotide conformation, effects of solvents, 91
Duck haemoglobin mRNA containing a polynucleotide sequence rich in adenylic acid, 531

Ehrlich, S. D., Thiery, J. & Bernadi, G., The mitochondrial genome of wild-type yeast cells, III. The pyrimidine tracts of mitochondrial DNA, 207
Elliott, A. (see also Squire, J. M.), 291
Escherichia coli and bacteriophage λ, physical observation of the insertion process, 63
— — NG30, radiosensitive, DNA post-irradiation degradation mechanism after irradiation with u.v. light, 213
Exonuclease mutants of *Lactobacillus*, sensitivity toward ultraviolet-irradiation and alkylating agents, 323

f2 (see Bacteriophage)
Feairheller, S. H. (see also Korn, A. H.), 525
Filachione, E. M. (see also Korn, A. H.). 525
Folkmanis, A. & Freifelder, D., Studies on lysogeny in *Escherichia coli* with bacteriophage λ. Physical observation of the insertion process, 63
Fonty, G. (see also Bernadi, G.), 173
— (see also Piperno, G.), 191
Formyl-methionine residue removal from nascent bacteriophage f2 protein, 163
Freifelder, D. (see also Folkmanis, A.), 63

Gabor, M. (see also Nozawa, R.), 323
Gennis, R. B. & Cantor, C. R., Optical studies of a conformational change in DNA before melting, 381
Gillespie, D. (see also Housman, D.), 163
Ghysen, A. & Pironio, M., Relationship between the *N* function of bacteriophage λ and host RNA polymerase, 259
Glutamic dehydrogenase, formation of multichain tubes by association of single molecules, 127
Glutaraldehyde, nature of the reagent, 525
Gordon, C. N., Dimensions of the heads of the fast and slow sedimenting forms of bacteriophage T2L, 435

Haemoglobin Bart's, circular dichroism and absorption spectra, 365
— of duck, with mRNA containing a polynucleotide sequence rich in adenylic acid, 531
Haemoglobins, normal and modified human, binding of isocyanides, 423
Heat-stable factors, two required for factor-dependent release of ribosomes from messenger RNA, 43
HeLa cells, characterization of mitochondrial polysome, 273
Helical rod section of the myosin molecule, evidence for flexibility, 519
Hemoglobin (see Haemoglobin)
Hen egg-white lysozyme inhibition by imidazole and indole derivatives, 59
Hirashima, A. & Kaji, A., Factor-dependent release of ribosomes from messenger RNA. II. Requirement for two heat-stable factors, 43
Hotchkiss, R. D. (see also Nazawa, R.), 323
Housman, D., Gillespie, D. & Lodish, H. F., Removal of formyl-methionine residue from nascent bacteriophage f2 protein, 163
Human haemoglobins, normal and modified, binding of isocyanides, 423

Imidazole derivatives, inhibition of hen egg-white lysozyme, 59
Immunochemical approach to the structure of myosin and the thick filament, 111
Indole derivatives, inhibition of hen egg-white lysozyme, 59
Insertion process, physical observation in *Escherichia coli* with bacteriophage λ, 63
Isocyanide binding to normal and modified human haemoglobins, 423
Isomoto, A. (see also Sasazuki, T.), 365

Josephs, R. & Borisy, G., Self-assembly of glutamic dehydrogenase into ordered superstructures: multichain tubes formed by association of single molecules, 127

Kaji, A. (see also Hirashima, A.), 43
Kakudo, M. (see also Sakakibara, S.), 371
King, M. V. & Young, M., Evidence for flexibility of the helical rod section of the myosin molecule, 519
Kishida, S. (see also Sakakibara, S.), 371
Klug, A. (see also DeRosier, D. J.), 469
— (see also Yanagida, M.), 489
Korn, A. H., Feairheller, S. H. & Filachione, E. M., Glutaraldehyde: nature of the reagent, 525
Kowalski, J. (see also Cheevers, W. P.), 347

λ (see Bacteriophage)
Lactobacillus exonuclease mutants, sensitivity toward ultraviolet-irradiation and alkylating agents, 323
Liver polyribosomes of rat, nascent catalase and its mRNA, 75
—, rat, aminoacyl-tRNA synthetases, more evidence for a particle character, 375
Lodish, H. F. (see also Housman, D.), 163
Low-angle X-ray diffraction studies of relaxation of glycerinated muscle, 331
Lowe, M. & Schellman, J., Solvent effects on dinucleotide conformation, 91
Lowey, S. & Steiner, L. A., An immunochemical approach to the structure of myosin and the thick filament, 111
Lysozyme of hen egg-white, inhibition by imidazole and indole derivatives, 59

MacCosham, V. (see also Busse, H. G.), 401
MacInnes, J. W., Differences between ribosomal subunits from brain and those from other tissues, 157
Matthews, K. S. & Cole, R. D., Effects of chemical modification of f2 viral coat protein on its shell-forming activity, 17
— — —, Shell formation by capsid protein of f2 bacteriophage, 1
Membrane-bound polyribosomes, formation, 413
Messenger RNA for duck haemoglobin contains a polynucleotide sequence rich in adenylic acid, 531
— — of nascent catalase on rat liver polyribosomes, 75
Mitochondrial DNA of wild-type yeast cells, compositional heterogeneity, 191
— — — — — — — —, preparation and heterogeneity, 173
— — — — — — — —, pyrimidine tracts, 207
— polysome characterization in HeLa cells, 273
Mountcastle, W. E. (see also Compans, R. W.), 167
Muscle, glycerinated, relaxation, low-angle X-ray diffraction studies, 331
Myosin molecule, evidence for flexibility of the helical rod section, 519
— and the thick filament, immunochemical approach to their structure, 111

N function of bacteriophage λ, relationship with host cell polymerase, 259
NG30 (see *Escherichia coli*)
Nakajima, H. (see also Sasazuki, T.), 365
Nozawa, R., Gabor, M. & Hotchkiss, R. D., *Lactobacillus* exonuclease mutants. II. Sensitivity toward ultraviolet-irradiation and alkylating agents, 323
Nozu, K. (see also Yonei, S.), 213
Nucleocapsids of paramyxovirus, sense of the helix, 167

Ojala, D. & Attardi, G., Expression of the mitochondrial genome in HeLa cells. X. Characterization of mitochondrial polysomes, 273
Okuyama, K. (see also Sakakibara, S.), 371
Oligonucleotide, complementary binding to tRNA, 25
Ono, T. (see also Uenoyama, K.), 75
Optical studies of a conformational change occurring in DNA before melting, 381

Padmanabhan, R. & Wu, R., Nucleotide sequence analysis of DNA. IV. Complete nucleotide sequence of the left-hand cohesive end of coliphage 186 DNA, 447
Paramyxovirus nucleocapsids, sense of the helix, 167
Pemberton, R. E. & Baglioni, C., Duck haemoglobin messenger RNA contains a polynucleotide sequence rich in adenylic acid, 531
Piperno, G. (see also Bernadi, G.), 173
—, Fonty, G. & Bernadi, G., The mitochondrial genome of wild-type yeast cells. II. Investigations on the compositional heterogeneity of mitochondrial DNA, 191
Pironio, M. (see also Ghysen, A.), 259
Poly-γ-benzyl glutamate, racemic, side-chain conformations in dry and liquid-crystalline forms, 291
Polyheads of bacteriophage T4, arrangement of subunits in some classes, 469
— — — —, structural transition from a hexamer to a 6 + 1 morphological unit, 489
Polymerase for RNA of host and the *N* function of bacteriophage λ, 259
Polynucleotide sequence rich in adenylic acid in duck haemoglobin mRNA, 531
Polyoma virus infection, productive synthesis of high-molecular-weight cellular DNA, 347
Polypeptide model $(Pro\text{-}Pro\text{-}Gly)_{10}$, single crystals, 371
Polyribosomes, membrane-bound, their formation, 413
— of rat liver, nascent catalase and its mRNA, 75
Polysomes, mitochondrial, characterization in HeLa cells, 273
Protein, capsid, of f2 bacteriophage, shell formation, 1
Pyrimidine tracts of wild-type yeast cell mitochondrial DNA, 207

Rat liver aminoacyl-tRNA synthetases, more evidence for a particle character, 375
Ribonucleic acid, duck haemoglobin mRNA contains a polynucleotide sequence rich in adenylic acid, 531
— —, messenger, heat-stable factors required for release of ribosomes, 43
— —, —, of nascent catalase on rat liver polyribosomes, 75
— — polymerase of host and *N* function of bacteriophage λ, 259
— —, ribosomal, synthesis in *Saccharomyces cerevisiae*, 227
— —, transfer, complementary oligonucleotide binding, 25
— —, —, synthetases, more evidence for a particle character, 375
Ribosomal RNA synthesis in *Saccharomyces cerevisiae*, 227
— subunits, differences between those from the brain and those from other tissues. 157
Ribosome synthesis in *Saccharomyces cerevisiae*, affected by temperature-sensitive mutations, 243
Ribosomes, release from messenger RNA, requirement for two heat-stable factors, 43
—, two heat-stable factors required for release from messenger RNA, 43
Rome, E., Relaxation of glycerinated muscle: low-angle X-ray diffraction studies, 331
Rosbash, M., Formation of membrane-bound polyribosomes, 413

Saccharomyces cerevisiae, ribosomal RNA synthesis, 227
— —, temperature-sensitive mutations affecting ribosome synthesis, 243.
Sakakibara, S., Kishida, Y., Okuyama, K., Tanaka, N., Ashida, T. & Kakudo, M. Single crystals of $(Pro\text{-}Pro\text{-}Gly)_{10}$, a synthetic polypeptide model, 371
Sasazuki, T., Isomoto, A. & Nakajima, H., Circular dichroism and absorption spectra of haemoglobin Bart's, 365
Schellman, J. (see also Lowe, M.), 91
Shell formation by capsid protein of f2 bacteriophage, 1
Squire, J. M. & Elliott, A., Side-chain conformations in dry and liquid–crystalline forms of racemic poly-γ-benzyl glutamate, 291
Steiner, L. A. (see also Lowey, S.), 111
Stols, A. L. H. (see also Vennegoor, C. J. G. M.), 375
Swan, I. D. A., Inhibition of hen egg-white lysozyme by imidazole and indole derivatives, 59
Synthetases, aminoacyl-tRNA isolated from rat liver, more evidence for a particle character, 375
Synthetic polypeptide model $(Pro\text{-}Pro\text{-}Gly)_{10}$, single crystals, 371

T2L (see Bacteriophage)
T4 (see Bacteriophage)
Talbot, B. (see also Brunori, M.), 423
Tanaka, N. (see also Sakakibara, S.), 371
Tandem genetic duplication in a derivative of bacteriophage λ, 401
Temperature-sensitive mutations affecting ribosome synthesis in *Saccharomyces cerevisiae*, 243
Thick filament and myosin, immunochemical approach to their structure, 111
Thiery, J. (see also Ehrlich, S. D.), 207
Transfer RNA, complementary oligonucleotide binding, 25
— — synthetases, aminoacyl, isolated from rat liver, more evidence for a particle character, 375

Udem, S. A. (see also Warner, J. R.), 243
— & Warner, J. R., Ribosomal RNA synthesis in *Saccharomyces cerevisiae*, 227
Uenoyama, K. & Ono, T., Nascent catalase and its messenger RNA on rat liver polyribosomes, 75
Uhlenbeck, O. C., Complementary oligonucleotide binding to transfer RNA, 25
Ultraviolet-irradiation of radiosensitive *Escherichia coli* NG30, mechanism of post-irradiation degradation of DNA, 213
— —, sensitivity of *Lactobacillus* exonuclease mutants, 323

Vennegoor, C. J. G. M., Stols, A. L. H. & Bloemendal, H., More evidence for a particle character of aminoacyl-tRNA synthetases isolated from rat liver, 375
Virus (see Polyoma)

Warner, J. R. (see also Udem, S. A.), 227
— & Udem, S. A., Temperature-sensitive mutations affecting ribosome synthesis in *Saccharomyces cerevisiae*, 243
Wild-type yeast cell mitochondrial DNA, compositional heterogeneity, 191
Wu, R. (see also Padmanabhan, R.), 447
Wyman, J. (see also Brunori, M.), 423

X-ray diffraction studies, low-angle, of relaxation of glycerinated muscle, 331

Yanagida, M., Identification of some antigenic precursors of phage T4, 501
—, DeRosier, D. J. & Klug, A., Structure of the tubular variants of the head of bacteriophage T4 (polyheads). II. Structural transition from a hexamer to a 6 + 1 morphological unit, 489
Yeast cell, wild-type, compositional heterogeneity of mitochondrial DNA, 191
— —, — —, mitochondrial DNA, preparation and heterogeneity, 173
— —, — —, pyrimidine tracts of mitochondrial DNA, 207
Yonei, S. & Nozu, K., Mechanism of post-irradiation degradation of DNA in a radiosensitive *Escherichia coli* (NG 30) irradiated with ultraviolet light, 213
Young, M. (see also King, M. V.), 519
Yu, K. K.-Y. (see also Cheevers, W. P.), 347